

# SIIHCA BOMBEO SOLAR

## INFORMACION TECNICA



<a href="http://www.siihca.com">www.siihca.com</a>	CONTACTO: ING LUIS SALAZAR			EMAIL: <a href="mailto:ventas@siihca.com">ventas@siihca.com</a>					
facebook siihca	CELULAR 33 11 57 85 43			OFICINA 687 87 2 88 66					
FOTO	MODELO	IMPULSOR	voltage (V)	Pump Power (W)	GASTO MAXIMO (M3/H)	ALTURA DINAMICA MAX (M)	SALIDA (IN)	DIAMETRO EXTERNO (MM)	Solar panel power (w)
<b>► 3" DC brushless solar screw pump with build-in controller</b>									
	3ZSI1.0/30-D24/80	Screw	24	80	1	30	0.75"	76*460	120
	3ZSI1.3/50-D24/140	Screw	24	140	1,3	50	0.75"	76*460	200
	3ZSI1.5/80-D24/210	Screw	24	210	1,5	80	0.75"	76*460	300
<b>► 3" DC brushless solar screw pump with metal controller box</b>									
	3ZS1.0/30-D24/80	Screw	24	80	1	30	3/4"	76*460	120
	3ZS1.3/50-D24/140	Screw	24	140	1,3	50	3/4"	76*460	200
	3ZS1.5/80-D24/210	Screw	24	210	1,5	80	3/4"	76*460	300
	3ZS1.5/95-D24/270	Screw	24	270	1,5	95	3/4"	76*460	400
	3ZS1.5/115-D36/500	Screw	36	500	1,5	115	3/4"	76*460	720
	3ZS2.3/80-D48/750	Screw	48	750	2,3	80	3/4"	76*460	1200
	3ZS2.3/120-D72/1000	Screw	72	1000	2,3	120	3/4"	76*460	1500
3ZS2.3/140-D72/1300	Screw	72	1300	2,3	140	3/4"	76*460	1800	










FOTO	MODELO	IMPULSOR	voltage (V)	Pump Power (W)	GASTO MAXIMO (M3/H)	ALTURA DINAMICA MAX (M)	SALIDA (IN)	DIAMETRO EXTERNO (MM)	Solar panel power (w)
<b>► 3" DC brushless screw pump with metal controller box (heavy duty pump head)</b>									
 	3ZST1.0/30-D24/80	Screw	24	80	1	30	3/4"	76*460	120
	3ZST1.3/50-D24/140	Screw	24	140	1,3	50	3/4"	76*460	200
	3ZST1.5/80-D24/210	Screw	24	210	1,5	80	3/4"	76*460	300
	3ZST1.5/95-D24/270	Screw	24	270	1,5	95	3/4"	76*460	400
	3ZST1.5/115-D36/500	Screw	36	500	1,5	115	3/4"	76*460	720
	3ZST2.3/80-D48/750	Screw	48	750	2,3	80	3/4"	76*460	1200
	3ZST2.3/120-D72/1000	Screw	72	1000	2,3	120	3/4"	76*460	1500
	3ZST2.3/140-D72/1300	Screw	72	1300	2,3	140	3/4"	76*460	1800
<b>► 4" DC brushless screw pump with metal controller box</b>									
 	4ZS2.1/50-D24/270	Screw	24	270	2,1	50	1"	100*480	400
	4ZS3/60-D36/500	Screw	36	500	3	60	1"	100*480	720
	4ZS3.6/80-D48/750	Screw	48	750	3,6	80	1"	100*480	1140
	4ZS3.8/95-D72/1000	Screw	72	1000	3,8	95	1"	100*550	1500
	4ZS4.2/110-D72/1300	Screw	72	1300	4,2	110	1"	100*550	1800
<b>► 3" DC brushless centrifugal pump with metal controller box</b>									
 	3ZSC4.0/55-D36/500	Centrifugal (SS)	36	500	4	55	1"	76*500	720
	3ZSC4.5/95-D72/1000	Centrifugal (SS)	72	1000	4,5	95	1"	76*560	1500
	3ZSC6.0/145-D216/1800	Centrifugal (SS)	216	1800	6	145	1"	76*650	2700
	3ZSC6.0/180-D216/2200	Centrifugal (SS)	216	2200	6	180	1"	76*720	3200

FOTO	MODELO	IMPULSOR	voltage (V)	Pump Power (W)	GASTO MAXIMO (M3/H)	ALTURA DINAMICA MAX (M)	SALIDA (IN)	DIAMETRO EXTERNO (MM)	Solar panel power (w)
<b>► 4" DC brushness centrifugal pump with metal controller box</b>									
 <b>S:HCA</b> <small>INFRAESTRUCTURA HIDRALLICA Y DC CAMINOS</small>	4ZSC5.0/28-D24/250	Centrifugal (SS)	24	250	5	28	1.25"	100*540	400
	4ZSC5.5/38-D24/400		24	400	5,5	38	1.25"	100*650	600
	4ZSC5.5/58-D48/750		48	750	5,5	58	1.25"	100*680	1200
	4ZSC6.0/72-D72/1000	Centrifugal (SS)	72	1000	6	72	1.25"	100*740	1500
	4ZSC6.5/98-D72/1300		72	1300	6,5	98	1.25"	100*880	1800
	4ZSC10/30-D48/750	Centrifugal (SS)	48	750	10	30	1.5"	100*540	1200
	4ZSC10/44-D72/1000		72	1000	10	44	1.5"	100*650	1500
	4ZSC10/57-D72/1300	Centrifugal (SS)	72	1300	10	57	1.5"	100*680	1800
	4ZSC15/21-D72/1000		72	1000	15	21	2"	100*540	1500
4ZSC15/28-D72/1300	72		1300	15	28	2"	100*620	1800	
<b>► 4" DC brushness centrifugal pump with metal controller box</b>									
 <b>S:HCA</b> <small>INFRAESTRUCTURA HIDRALLICA Y DC CAMINOS</small>	4ZSC5/95-D72/1100	Centrifugal (SS)	72	1100	5	95	1.25"	100	1500
	4ZSC5/145-D168/1500		168	1500	5	145	1.25"	100	2100
	4ZSC5/185-D216/1800		216	1800	5	185	1.25"	100	2700
	4ZSC5/230-D216/2200		216	2200	5	230	1.25"	100	3200
	4ZSC5/310-D216/3000		216	3000	5	310	1.25"	100	4800
	4ZSC9/65-D72/1100	Centrifugal (SS)	72	1100	9	65	1.5"	100	1500
	4ZSC9/100-D168/1500		168	1500	9	100	1.5"	100	2100
	4ZSC9/125-D216/1800		216	1800	9	125	1.5"	100	2700
	4ZSC9/158-D216/2200		216	2200	9	158	1.5"	100	3200
	4ZSC9/211-D216/3000		216	3000	9	211	1.5"	100	4800
	4ZSC13/56-D216/1500	Centrifugal (SS)	168	1500	13	56	2"	100	2100
	4ZSC13/92-D216/1800		216	1800	13	92	2"	100	2700
	4ZSC13/106-D216/2200		216	2200	13	106	2"	100	3200
	4ZSC13/148-D216/3000		216	3000	13	148	2"	100	4800
	4ZSC22/53-D216/1800	Centrifugal (SS)	216	1800	22	53	2"	100	2700
4ZSC22/62-D216/2200	216		2200	22	62	2"	100	3200	
4ZSC22/90-D216/3000	216		3000	22	90	2"	100	4800	

► 6" DC brushless centrifugal pump with metal controller box

 <p><b>SIHCA</b> DE SALDADORES HIDRÁULICA Y DE GASES</p>	6ZSC28/26-D72/1300	Centrifugal (SS)	72	1300	28	26	3"	125*710	1800
	6ZSC46/7-D72/1300		72	1300	46	7	4"	125*690	1800
	6ZSC35/31-D216/1800	Centrifugal (SS)	216	1800	35	31	3"	150	2700
	6ZSC35/45-D216/2200		216	2200	35	45	3"	150	3200
	6ZSC35/63-D216/3000		216	3000	35	63	3"	150	4800
	6ZSC49/15-D216/1800	Centrifugal (SS)	216	1800	49	15	3"/4"	150	2700
	6ZSC49/31-D216/2500		216	2500	49	31	3"/4"	150	3600
	6ZSC49/42-D216/3000		216	3000	49	42	3"/4"	150	4800
	6ZSC70/20-D216/2500	Centrifugal (SS)	216	2500	70	20	3"/4"	150	3600
	6ZSC70/32-D216/3000		216	3000	70	32	4"	150	4800
	6ZSC78/17-D216/2500		216	2500	78	17	4"	150	3600
	6ZSC78/28-D216/3000		216	3000	78	28	4"	150	4800

Estas bombas solo trabajan de dia.

Garantia de bomba de 18 meses por defecto de fabrica